

**RECEIVED**  
**CENTRAL FAX CENTER**  
**MAR 28 2005**

## Facsimile

To	Company	Fax Number	Phone Number
1 Laura C. Cole	USPTO GAU 1744 Re: 10/768,363 Conf. No.: 6548	703-872-9306	571-272-1272

Date	Our Reference Number
<b>March 28, 2005</b>	<b>7433-01</b>
From	Email Address
<b>Harris A. Wolin</b>	<b>harris_wolin@colpal.com</b>
Direct Phone	Fax
<b>(732) 878-6341</b>	<b>(732) 878-6770</b>

**Total number of pages, including cover letter: 16**  
**If you do not receive all of the pages, please call: (732) 878-6341**

### Enclosed:

12 pages - Preliminary Amendment  
1 page - New Drawing Sheet (FIGS. 43-44)  
2 pages - IDS and Form 1449

### **Important**


*This facsimile transmission contains information intended for the exclusive use of the individual or entity to which it is addressed and may contain information that is proprietary, privileged, confidential and/or exempt from disclosure under applicable law.*

*If you are not the intended recipient (or an employee or agent responsible for delivering this facsimile transmission to the intended recipient), you are hereby notified that any copying, disclosure or distribution of this information may be subject to legal restriction or sanction. Please notify the sender by telephone to arrange for the return or destruction of the information and all copies.*

**RECEIVED**  
**CENTRAL FAX CENTER**  
**MAR 28 2005**

Certificate of Facsimile Transmission

I hereby certify that this paper is being facsimile transmitted to (703) 872-9306 at the U.S. Patent and Trademark Office on March 28, 2005.

  
Harris A. Wolin

Attorney Docket No.: IR 7433-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor : Eduardo Jimenez et al.  
Serial No. : 10/768,363  
Filed : January 30, 2004  
Title : **Toothbrush with Enhanced Cleaning Effects**  
Examiner : Laura C. Cole  
Group Art Unit : 1744  
Confirmation No. : 6548

March 28, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

PRELIMINARY AMENDMENT

Sir:

Prior to examination on the merits, please amend the application as follows: